

AQUAFORMS

AQSQ - Surface Mount

Heavy gauge aluminum construction

Two sizes - 14" and 19" square


Opal acrylic lens

Incandescent and compact fluorescent lamp sources

Three decorative face options

- Four windows
- Single window
- Perforated window


SINGLE WINDOW




CUSTOM DESIGN FRONT (Examples)



PERFORATED WINDOW






AQUAFORMS


AQSQ - Surface Mount

DIMENSIONS

SMALL



LARGE



SPECIFICATIONS

SIZES

Small = 14" x 14"
Large = 19" x 19"

MOUNTING

Wall mount
Surface mount
Semi-recessed

COLOR

Textured or smooth polyester powder coat finishes
RAL colors available

BALLASTS

Compact fluorescent = HPF Electronic
HID = HPF Magnetic

OPTIONS

Various front shield designs
See technical data sheets for details

MAXIMUM LAMP TYPE*

| | SMALL | LARGE |
|----------------------|--------------|------------|
| Incandescent | 60 watts | 100 watts |
| Compact fluorescent | 2 x 26 watts | 3x32 watts |
| High pressure sodium | n/a | n/a |
| Metal halide | n/a | n/a |

* Consult technical sheets for specific lamp application

LISTINGS



Wet location luminaire



Listed to applicable CSA and UL standards


ADDITIONAL STYLES



EUWS - Surface Mount




NCOL - Surface Mount




NCOL2 - Surface Mount



NCRL - Surface Mount




NCRL2 - Surface Mount



OARL - Surface Mount



QBWS - Surface Mount




AQUAFORMS

AQSQ - Surface Mount

STANDARD FEATURES

- Heavy gauge aluminum construction
- Two sizes - 14" and 19" square
- Opal acrylic lens
- Incandescent and compact fluorescent lamp sources
- Three decorative face options
 - Four windows
 - Single window
 - Perforated window




Wet location luminaire



Listed to applicable CSA and UL standards

ORDERING CODE GUIDE




| SERIES | MODEL | SIZE | LAMP | VOLT | COLOR | OPTIONS |
|--------|-------|-------------|--|-------------------|--|---|
| AQSQ | 8000 | | | | | |
| | | Small = 14" | INC60 PLC13 2 x PLC13 3 x PLC13 2 x PLC18 2 x PLC26 | 120 277 347 | <u>TEXTURED FINISHES</u> TAL = textured aluminum TBK = textured black TBZ = textured bronze TWH = textured white | OPL = opal polycarbonate lens CDFP = custom design front panel FW = four window SW = single window PW = perforated window |
| | | Large = 19" | INC100 4 x PLC13 3 x PLC18 3 x PLC26 3 x PLT32 | | <u>SMOOTH FINISHES</u> AL = silverdillo BK = black BY = buttercup yellow DBZ = dark bronze DO = deep orange EG = emerald green RB = royal blue RR = rich red WH = white | |
| | | | | | RAL colors available | |





AQUAFORMS

AQSQ - Surface Mount

DIMENSIONS



CDFP = custom design front panel
(examples)



SW = single window

PW = perf window

| | W | H | D |
|-------|-------|-------|------|
| Small | 14.0" | 14.0" | 6.0" |
| Large | 19.0" | 19.0" | 9.0" |