

# RONDELLA

## ROND 2 - Dome Top

Two sizes - 17" and 22" diameter

Heavy gauge aluminum construction


Die-cast aluminum hinged lens frame

Tempered clear flat glass lens

High performance reflector systems

Horizontal lamp positions

Field rotatable optics




# RONDELLA


## ROND 2 - Dome Top

### DIMENSIONS


#### SMALL




#### MEDIUM



#### YOKE MOUNT SIDE VIEW



#### POLE ARM MOUNT



### SPECIFICATIONS

#### SIZES

Small = 17" diameter  
Medium = 22" diameter

#### MOUNTING

Yoke mount  
Wall mount  
Pole arm mount  
See technical data sheets for details

#### COLOR

Textured or smooth polyester powder coat finishes  
RAL colors available

#### BALLASTS

HID = HPF CWA Magnetic

#### OPTICS

Horizontal lamp = Type II, III, IV, V  
See technical data sheets for details

#### OPTIONS

Convex lens available

#### MAXIMUM LAMP TYPE\*

	SMALL	MEDIUM
Compact fluorescent	C/F	C/F
High pressure sodium	150 watts	400 watts
Metal halide	175 watts	400 watts

\* Consult technical sheets for specific lamp application

#### LISTINGS



Wet location luminaire



Listed to applicable CSA and UL standards

### ADDITIONAL STYLES




**ROND 1** - Yoke Mount  
Flat Top



**ROND 3** - Pole Arm Mount  
Luminous Dome Top



**ROND 4** - Yoke Mount  
Crown Top




# RONDELLA

## ROND 2 - Dome Top

### STANDARD FEATURES

- Two sizes - 17" and 22" diameter
- Two piece heavy gauge spun aluminum domed housing
- Die-cast lens frame and door secured by 1/4 turn captive fasteners
- Tempered clear glass flat lens
- Segmented high performance reflector systems available
- Lamp is mounted horizontally
- Field rotatable optics



Wet location luminaire




Listed to applicable CSA and UL standards

### ORDERING CODE GUIDE

SERIES	MODEL	SIZE	LAMP ❶	VOLT	OPTICS ❷	COLOR	MOUNTING	OPTIONS
ROND2	1690							
		Small = 17"	70HPS 100HPS 150HPS 70MH 100MH 150MH 175MH	120 277 347	2 = Type II 3 = Type III 4 = Type IV 5 = Type V	<u>TEXTURED FINISHES</u> TAL = textured aluminum TBK = textured black TBZ = textured bronze TWH = textured white	WMB1 = wall mount bracket WMB2 = wall mount bracket	CL = convex lens consult factory
		Medium = 22"				<u>SMOOTH FINISHES</u> AL = silverdillo BK = black BY = buttercup yellow DBZ = dark bronze DO = deep orange EG = emerald green RB = royal blue RR = rich red WH = white	<u>POLE ARM MOUNTS ❸</u> (see reverse for detail) PAM = pole arm mount PAM2/180 = 2 arms at 180° PAM2/90 = 2 arms at 90° PAM3/120 = 3 arms at 120° PAM4/90 = 4 arms at 90°	
						RAL colors available		

#### Notes:


- ❶ Not all voltages are available for all lamp types, please consult factory
- ❷ Applicable with clear glass lens only
- ❸ Please indicate size of pole when ordering



# RONDELLA

## ROND 2 - Dome Top

### DIMENSIONS



### Mounting Configurations

