

# RONDELLA

## ROND 3 - Luminous Dome Top

Two sizes - 17" and 22" diameter

Heavy gauge aluminum construction

Translucent acrylic dome top


Die-cast aluminum hinged lens frame

Tempered clear flat glass lens

High performance reflector systems

Horizontal lamp position

Field rotatable optics




# RONDELLA


## ROND 3 - Luminous Dome Top

### DIMENSIONS


#### SMALL




#### MEDIUM



#### SIDE VIEW YOKE MOUNT



#### POLE ARM MOUNT



### SPECIFICATIONS

#### SIZES

Small = 17" diameter  
Medium = 22" diameter

#### MOUNTING

Yoke mount  
Wall mount  
Pole arm mount  
See technical data sheets for details

#### COLOR

Textured or smooth polyester powder coat finishes  
RAL colors available

#### BALLASTS

HID = HPF 'F can'  
Mounted in pole

#### OPTICS

Horizontal Lamp = Type II, III, IV, V  
See technical data sheets for details

#### MAXIMUM LAMP TYPE\*

	SMALL	MEDIUM
Compact fluorescent	C/F	C/F
High pressure sodium	150 watts	400 watts
Metal halide	175 watts	400 watts

\* Consult technical sheets for specific lamp application

#### LISTINGS



Wet location luminaire



Listed to applicable CSA and UL standards

### ADDITIONAL STYLES




**ROND 1** - Yoke Mount  
Flat Top



**ROND 2** - Pole Arm Mount  
Opaque Dome Top



**ROND 4** - Yoke Mount  
Opaque Crown Top




# RONDELLA

## ROND 3 - Luminous Dome Top

### STANDARD FEATURES

- Two sizes - 17" and 22" diameter
- Translucent acrylic dome top
- Hinged die-cast aluminum lens frame secured by 1/4 turn captive fasteners
- Tempered clear flat glass lens
- High performance reflector systems
- Field rotatable optics
- HPF Ballast mounted in 5" pole diameter



Wet location luminaire




Listed to applicable CSA and UL standards

### ORDERING CODE GUIDE

SERIES	MODEL	SIZE	LAMP	VOLT	OPTICS	COLOR	MOUNTING ①	OPTIONS
ROND3	1690							
		Small = 17"	70HPS 100HPS 150HPS 70MH 100MH 150MH 175MH	120 277 347	2 = Type II 3 = Type III 5 = Type V	<u>TEXTURED FINISHES</u> TAL = textured aluminum TBK = textured black TBZ = textured bronze TWH = textured white	PAM = pole arm mount YM = yoke mount	CL = convex lens
		Medium = 22"	250MH 250HPS 400MH 400HPS			<u>SMOOTH FINISHES</u> AL = silverdillo BK = black BY = buttercup yellow DBZ = dark bronze DO = deep orange EG = emerald green RB = royal blue RR = rich red WH = white		
						RAL colors available		

Notes:

- ① Available in 5" pole only - Please specify square or round




# RONDELLA


## ROND 3 - Luminous Dome Top

### DIMENSIONS

Small / EPA = 0.8



Medium / EPA = 1.1



Yoke Mount

