

Filename: TJSLI-5000-plc13-120body18w

Luminaire: PROJECT: TJSLI-5000-plc13-120body18w

Lamp Output: 1 lamp(s), rated Lumens/lamp: 1200

Max Candela: 110.8 at Horizontal: 0°, Vertical: 55°

Input Wattage: 21

Luminous Opening: Rectangle w/Luminous Sides (L: 0.25ft, W: 0.67ft, H: 0.26ft)


Test: Photopia 2.0.0.17 PHOTOMETRIC REPORT

Photometry : Type C

CIE Class: Semi-Direct

Cutoff Class: Noncutoff

Nema Type: 7 X 6




Zonal Lumen Summary

Zone	Lumens	% Lamp	% Luminaire
0-30	11.3	0.9%	5.7%
0-40	26.8	2.2%	13.6%
0-60	81.0	6.8%	41%
60-90	87.7	7.3%	44.4%
70-100	71.0	5.9%	36%
90-120	25.7	2.1%	13%
0-90	168.7	14.1%	85.3%
90-180	29.0	2.4%	14.7%
0-180	197.6	16.5%	100%

Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	0.6	0.3%	90-100	15.9	8%
10-20	2.9	1.5%	100-110	7.3	3.7%
20-30	7.8	4.0%	110-120	2.5	1.3%
30-40	15.6	7.9%	120-130	1.4	0.7%
40-50	23.8	12.0%	130-140	0.9	0.4%
50-60	30.3	15.4%	140-150	0.6	0.3%
60-70	32.5	16.5%	150-160	0.3	0.1%
70-80	30.7	15.5%	160-170	0.1	0.1%
80-90	24.4	12.4%	170-180	0.0	0%



Luminaire Report Summary

IESNA:LM-63-1995

[TEST] Photopia 2.0.0.17 PHOTOMETRIC REPORT

[LUMINAIRE] PROJECT: TJSLL-5000-plc13-120body18w

[OTHER]THIS REPORT IS A COMPUTER GENERATED SIMULATION. ACTUAL RESULTS MAY VARY

FILE: CANDELA MULTIPLIER: 1

FILE: VERTICAL ANGLES: 37, HORIZONTAL ANGLES: 9

FILE: COORDINATE SYSTEM: TYPE C

FILE: UNIT OF MEASURE: STANDARD

FILE: BALLAST FACTOR: 1

Photometrics Pro 1.3.12 copyright 2003-2011 by jSolutions, Inc.

Reported data calculated from manufacturer's data file, based on IES recommended methods.