

Filename: TJSLI-5000-plc13-120body26w

Luminaire: PROJECT: TJSLI-5000-plc13-120body26w

Lamp Output: 1 lamp(s), rated Lumens/lamp: 1800

Max Candela: 169.0 at Horizontal: 0°, Vertical: 55°

Input Wattage: 30

Luminous Opening: Rectangle w/Luminous Sides (L: 0.25ft, W: 0.67ft, H: 0.26ft)


Test: Photopia 2.0.0.17 PHOTOMETRIC REPORT

Photometry : Type C

CIE Class: Semi-Direct

Cutoff Class: Noncutoff

Nema Type: 7 X 6




Zonal Lumen Summary

Zone	Lumens	% Lamp	% Luminaire
0-30	16.9	0.9%	5.4%
0-40	40.3	2.2%	12.8%
0-60	122.2	6.8%	38.9%
60-90	136.7	7.6%	43.5%
70-100	112.8	6.3%	35.9%
90-120	46.6	2.6%	14.8%
0-90	258.9	14.4%	82.3%
90-180	55.7	3.1%	17.7%
0-180	314.6	17.5%	100%

Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	0.9	0.3%	90-100	26.3	8.4%
10-20	4.3	1.4%	100-110	13.9	4.4%
20-30	11.7	3.7%	110-120	6.3	2%
30-40	23.5	7.5%	120-130	3.9	1.2%
40-50	36.0	11.4%	130-140	2.5	0.8%
50-60	45.9	14.6%	140-150	1.5	0.5%
60-70	50.2	16.0%	150-160	0.8	0.2%
70-80	47.8	15.2%	160-170	0.3	0.1%
80-90	38.7	12.3%	170-180	0.1	0%



Luminaire Report Summary

IESNA:LM-63-1995

[TEST] Photopia 2.0.0.17 PHOTOMETRIC REPORT

[LUMINAIRE] PROJECT: TJSLL-5000-plc13-120body26w

[OTHER] THIS REPORT IS A COMPUTER GENERATED SIMULATION. ACTUAL RESULTS MAY VARY

FILE: CANDELA MULTIPLIER: 1

FILE: VERTICAL ANGLES: 37, HORIZONTAL ANGLES: 9

FILE: COORDINATE SYSTEM: TYPE C

FILE: UNIT OF MEASURE: STANDARD

FILE: BALLAST FACTOR: 1

Photometrics Pro 1.3.12 copyright 2003-2011 by jSolutions, Inc.

Reported data calculated from manufacturer's data file, based on IES recommended methods.